

Mecalac

RANGE
GAMME / BAUREIHE / GAMMA



RANGE
GAMME / BAUREIHE / GAMMA

Mecalac

EXCAVATORS / PELLES / BAGGER / ESCAVATORI



12MTX



7MWR



7MWR
OFFSET
TWO-PIECE
BOOM



9MWR



11MWR



15MWR
MECALAC
VERSATILE
BOOM



15MWR
TWO-PIECE
BOOM



15MWR
OFFSET
TWO-PIECE
BOOM



CONTENTS

► 12MTX	8	► 6MCR	16/17
► 7MWR	9/10	► 8MCR	18
► 9MWR	11	► 10MCR	19
► 11MWR	12	► 15MC	20/22
► 15MWR	13/15	► 8MCRRR	23

LOADERS / CHARGEUSES / LADER / CARICATORI



CONTENTS

▶ AX700	24	▶ AS900	31
▶ AX850	25	▶ AS1600	32
▶ AX1000	26	▶ AS210e	33
▶ AF1050	27	▶ AS900tele	34
▶ AF1200	28	▶ AT900	35
▶ AS600	29	▶ AT1050	36
▶ AS700	30		

BACKHOE LOADERS / CHARGEUSES-PELLETEUSES / BAGGERLADER / TERNE



► **TLB830**



► **TLB840R**



► **TLB850**



► **TLB870**



► **TLB890**



► **TLB990**



CONTENTS

► TLB830	37
► TLB840R	38
► TLB850	39
► TLB870	40
► TLB890	41
► TLB990	42

SITE DUMPERS / MOTOBASCULEURS / BAUSTELLENKIPPER / DUMPER



► TA1EH



► TA2H / TA2SH / TA2SEH



► TA3 / TA3S / TA3H / TA3SH / TA3.5SH



► TA6 / TA6S



► TA9 / TA9S / TA9P / TA9SP



► TA10P



► 3MDX



► 6MDX



► 9MDX



CONTENTS

► TA1EH	43
► TA2H / TA2SH / TA2SEH	44
► TA3 / TA3S / TA3H / TA3SH	45
► TA3.5SH	46
► TA6 / TA6S	47
► TA9 / TA9S / TA9P / TA9SP	48
► TA10P	49
► 3MDX	50
► 6MDX	51
► 9MDX	52

COMPACTION ROLLERS / COMPACTEURS À ROULEAUX / VERDICHTUNGSGERÄTE / RULLI COMPATTATORI



► MBR71



► TV800 / TV900



► TV1000 / TV1200



► TV1300 / TV1400




CONTENTS

► MBR71	53
► TV800 / TV900	54
► TV1000 / TV1200	55
► TV1300 / TV1400	56

I2 MTX



kg	kW	km/h	mm daN	mm daN
9700 (21,385 lb)	85 (115 hp / 114 imperial hp)	32 (19.90 mph)	2710 (8'10")	6150 (13,825 lbf) 3400 (7,640 lbf)





kg	kW km/h	mm daN	mm daN
6925/ 7350* (15,267/16,204* lb)	55.4 (75 hp / 74.3 imperial hp)	30 2788 (19 mph) (9'2")	4310 2500 (9,690 lbf) (5,620 lbf)

mm	mm
6220 (20'5")	-3030 (-9'11")

mm
+4970 (+16'4")

* Depending to configuration / Selon configuration / Je nach Konfiguration / A seconda della configurazione



kg	kW	km/h	mm	daN	daN
7000/ 7420* (15,430/16,360* lb)	55.4 (75 hp / 74.3 imperial hp)	30 (19 mph)	2570 (8'9")	4310 (9,690 lbf)	3100 (6,970 lbf)

mm	mm	mm
6410 (21')	-3120 (-10'2")	+5070 (+16'7")

* Depending to configuration / Selon configuration / Je nach Konfiguration / A seconda della configurazione



kg	kW	km/h	mm	daN	daN
7900/ 9000* (17,416/19,841* lb)	55.4 (75 hp / 74.3 imperial hp)	20/35 (12/22 mph)	2866 (9'5")	5000 11,240 lbf)	2800 (6,295 lbf)

mm	mm	mm
6700 (22')	-3500 (-11'6")	+5500 (+18')

* Depending to configuration / Selon configuration / Je nach Konfiguration / A seconda della configurazione

MWR

kg	kW	km/h	mm	daN	daN
10000/ 11000* (22,050/24,250* lb)	55.4 (75 hp / 74.3 imperial hp)	20/30 (12/19 mph)	3296 (10'8")	6000 (13,490 lbf)	3400 (7,645 lbf)

mm	mm	mm
7500 (24'7")	-3800 (-12'6")	+6200 (+20'4")

* Depending to configuration / Selon configuration / Je nach Konfiguration / A seconda della configurazione




14200/ 15300* (31,305/33,730* lb)	100 (136 hp / 134 imperial hp)	35 (21.7 mph)	3415 (11'2")	8170 (18,365 lbf)	5500 (12,365 lbf)

8300 (27'3")	-4550 (-14'11")	+6990 (+22'11")

* Depending to configuration / Selon configuration / Je nach Konfiguration / A seconda della configurazione

15MWR


	14200/ 15300* (31,305/33,730* lb)		100 (136 hp / 134 imperial hp)		35 (21.7 mph)		2990 (9'10")		8170 (18,365 lbf)		6200 (13,940 lbf)
--	---	--	---	--	-------------------------	--	------------------------	--	-----------------------------	--	-----------------------------



* Depending to configuration / Selon configuration / Je nach Konfiguration / A seconda della configurazione




	kg		kW		km/h		mm		daN		daN
	14800/ 15500* (32,830/34,171* lb)	100 (136 hp / 134 imperial hp)	35 (21.7 mph)		2990 (9'10")		mm		8170 (18,365 lbf)		6200 (13,940 lbf)



* Depending to configuration / Selon configuration / Je nach Konfiguration / A seconda della configurazione




kg	kW	km/h	mm	daN	daN
5700/ 6100* (12,566/13,450* lb)	55.4 (75 hp / 74.3 imperial hp)	10 (6.2 mph)	2608 (8'7")	4300 (9,666 lbf)	2500 (5,620 lbf)



* Depending to configuration / Selon configuration / Je nach Konfiguration / A seconda della configurazione




	kg	kW	km/h	mm	daN	daN
	5770/ 6170* (12,720/13,600* lb)	55.4 (75 hp / 74.3 imperial hp)	10 (6.2 mph)	2445 (8')	4310 (9,690 lbf)	3100 (6,970 lbf)



* Depending to configuration / Selon configuration / Je nach Konfiguration / A seconda della configurazione



kg	kW (75 hp / 74.3 imperial hp)	km/h (6.2 mph)	mm (8'10")	daN (11,240 lbf)	daN (6,300 lbf)
7200/ 7600* (15,900/16,755* lb)	55.4	10	2698	5000	2800



* Depending to configuration / Selon configuration / Je nach Konfiguration / A seconda della configurazione

16MCR

kg	kW	mm	daN
9400/ 10000* (20,723/22,046* lb)	55.4 (75 hp / 74.3 imperial hp)	9 (5.6 mph) (10'8")	3266 (13,500 lbf) 6000 (7,650 lbf)

mm	mm
7500 (24'7")	-4000 (-13'1")

+6000
(+19'8")

* Depending to configuration / Selon configuration / Je nach Konfiguration / A seconda della configurazione

15MC

kW



km/h



mm



daN



daN

14780/15230*
(32,585/33,580* lb)**100**(136 hp /
134 imperial hp)**6**(3.7 mph)
(11'2")**3415**(18,370 lbf)
(8170 daN)**5500**(12,360 lbf)
(5500 daN)

mm

8300
(27'3")

mm

-4730
(15'6")

mm


+7600
(24'9")

* Depending to configuration / Selon configuration / Je nach Konfiguration / A seconda della configurazione

RANGE / GAMME / BAUREIHE / GAMMA




	kg	kW	km/h	mm	daN	daN
14200/15300*	(31,305/33,730* lb)	100 (136 hp / 134 imperial hp)	6 (3.7 mph)	2990 (9'10")	8170 (18,370 lbf)	6200 (13,940 lbf)



* Depending to configuration / Selon configuration / Je nach Konfiguration / A seconda della configurazione

15MC

	kg		kW		km/h		daN		daN
14850/15500* (32,740/34,170* lb)		100 (136 hp / 134 imperial hp)		6 (3.7 mph)		2990 (9'10")	8170 (18,370 lbf)	6200 (13,940 lbf)	



* Depending to configuration / Selon configuration / Je nach Konfiguration / A seconda della configurazione



 kg	 kW	 km/h	 km/h	 mm	 daN	 daN
8500* (18,740* lb)	55.4 (75 hp / 74.3 imperial hp)	19-23* (12-14* mph)	10 (6.2 mph)	2699** (8'10"**)	5000 (11,240 lbf)	2800 (6,295 lbf)

 mm	 mm	 mm
6700 (22')	-3550 (-11'8")	+5450 (+17'11")

* According to national specification / Selon spécification nationale / Je nach Spezifikation des Landes / A seconda delle norme nazionali

** Depending on configuration / Selon configuration / Je nach Konfiguration / A seconda della configurazione

AX700

kg	kW	km/h	mm	mm	mm	m³
4710 (10,380 lb)	50 (68 hp / 67 imperial hp)	20/30* (12/19* mph)	5285 (17'4")	1600 (5'3")	2470 (8'1")	+2475 +2785* (+8'1"/+9'2" *)



* Option /optional / opzione

AX850

kg	kW	km/h	mm	mm	mm	m ³
5050 (11,133 lb)	50 (68 hp / 67 imperial hp)	20/30* (12/19* mph)	5285 (17'4")	1850 (6'1")	2470 (8'1")	+2475 +2785* (+8'1"/+9'2"*)



* Option /optional / opzione

AX1000

 kg	 kW	 km/h	 mm	 mm	 mm	 m³
5410 (11,927 lb)	55.4 (75 hp / 74.3 imperial hp)	20/30* (12/19* mph)	5350 (17'7")	1850 (6'1")	2440 (8')	+2400 +2710* (+7'10"+/+8'10"+)



* Option /optional / opzione

AF 1050

kg	kW	km/h	mm	mm	mm	m ³	
5800 (12,786 lb)	55.4 (75 hp / 74.3 imperial hp)	20 30°/40°* (12/19°/25° mph)	6030 (19'9")	2100 (6'11")	2830 (9'3")	+2700 (+8'10")	1.05 - 1.5 (1.4 - 2 yd ³)



* Option /optional / opzione

AF1200

 kg	 kW	 km/h	 mm	 mm	 mm	 m³	
6000 (13,230 lb)	55.4 (75 hp / 74.3 imperial hp)	20 30°/40°* (12/19°/25° mph)	6080 (19'9")	2100 (6'11")	2830 (9'3")	+2700 (+8'10")	1.2 - 2 (1.6 - 2.6 yd³)




AS 500

 kg	 kW	 km/h	 mm	 m³
4200 (9,260 lb)	36.4 (49 hp / 48.8 imperial hp)	20/30* (12/19* mph)	+2570 (+8'4")	0.5 - 0,8 (0.7 - 1 yd ³)



* Option /optional / opzione

AS700

 kg	 kW	 km/h	 mm	 mm	 mm	 m³	
5980 (13,183 lb)	55.4 (75 hp / 74.3 imperial hp)	20 30°/40° (12/19°/25° mph)	5550 (18'3")	1950 (6'5")	2760 (9'1")	+2720 (+8'11")	0.7 - 1.2 (0.92 - 1.6 yd³)



AS900

kg	kW	km/h	mm	mm	mm	m ³	
6640 (14,638 lb)	55.4 (75 hp / 74.3 imperial hp)	20 30°/40°* (12/19°/25° mph)	5590 (18'4")	2100 (6'11")	2830 (9'3")	+2650 (+8'8")	09 - 1.5 (1.2 - 2 yd ³)



* Option /optional / opzione

AS1600

 kg	 kW	 km/h	 mm	 mm	 mm	 m³	
10920 (24,074 lb)	100 (136 hp / 134 imperial hp)	20/40* (12/25* mph)	6580 (21'7")	2480 (8'2")	3100 (10'2")	+3100 (+10'2")	1.6 - 2.5 (2.1 - 3.3 yd³)



AS 210_e

 kg	 kW	 km/h	 mm	 mm	 mm	 m ³
15000 (33,070 lb)	129 (175 hp / 173 imperial hp)	20/35* (12/22* mph)	7155 (23'6")	2700 (8'1")	3155 (10'4")	+3420 (+11'3")



* Option /optional / opzione

AS900 *tele*

 kg	 kW	 km/h	 mm mm	 mm mm	 m³	 m³	
7250 (15,983 lb)	55.4 (75 hp / 74.3 imperial hp)	20 30'/35' (12'19"/22* mph)	6270 (20'7")	2100 (6'11")	2910 (9'7")	+3100 +4100 (+10'2" / +13'5")	0.7 - 1.2 (0.92 - 1.6 yd³)



AT900

 kg	 kW	 km/h	 mm	 mm	 mm	 m³	
6550 (14,440 lb)	55.4 (75 hp / 74.3 imperial hp)	20 30°/40° (12°/19°/25° mph)	5850 (19'2")	2100 (6'11")	2910 (9'7")	+3200 +4080 (+10'6" / +13'5")	0.9 - 1.5 (1.2 - 2 yd³)



* Option /optional / opzione

AT1050

kg	kW	km/h	mm	mm	mm	m ³
7150 (15,763 lb)	55.4 (75 hp / 74.3 imperial hp)	20 30°/40° (12/19°/25° mph)	5920 (19'5")	2100 (6'11")	2910 (9'7")	+3170 +4050 (+10'5" / +13'3")



TLB830



kg	kW	km/h	mm	m³	mm	daN	daN	mm
7215 (15,906 lb)	70 (95 hp / 94 imperial hp)	38 (24 mph)	2310 (7'6")	3488 (11'5")	1 (1.3 yd³)	+3145 (+10'4")	4600 (10,340 lbf)	4200 (9,440 lbf)
								-4411/-5438* (-14'5" / -17'10")

* Depending to configuration / Selon configuration / Je nach Konfiguration / A seconda della configurazione

TLB840R



kg	kW	km/h	mm	m³	mm	daN	daN	mm
7320 (16,137 lb)	55.4 (75 hp / 74.3 imperial hp)	38 (24 mph)	2310 (7'7")	3488 (11'5")	1 (1.3 yd ³)	+3145 (+10'4")	4600 (10,340 lbf)	-4411/-5438* (-14'5" / -17'10")
								 5695/6670* (18'8" / 21'10")
								 +3569/+4168* (+11'9" / +13'8")
								 4700/5400* (10,565/12,140* lbf)
								 3540/2600* (7,961/5,845* lbf)

TLB850



kg	kW	km/h	mm	mm³	mm	daN	daN	mm
8230 (18,144 lb)	70 (95 hp / 94 imperial hp)	40 (25 mph)	2310 (7'6")	3600 (11'10")	1 (1.3 yd³)	+3369 (+11'1")	4600 (10,329 lbf)	4650 (10,485 lbf)
								-4371/-5390* (-14'4" / -17'8")
								5703/6670* (18'9" / 21,10")
								+3635/+4215* (+11'11" / +13'10")
								5250/6070* (11,807/13,516* lbf)
								3540/2620* (7,961/5,892* lbf)

* Depending to configuration / Selon configuration / Je nach Konfiguration / A seconda della configurazione

TLB870



kg	kW	km/h	mm	m³	mm	daN	daN	mm
7695 (16,964 lb)	Stage IIIB - 55.4 (75 hp / 74.3 imperial hp)	39 (24 mph)	2310 (7'6")	3827 (12'7")	1 (1.3 yd ³)	+3262 (+10'8")	4600 (10,340 lbf)	-4401/-5744* (-14'5" / -18'10")
	Stage IIIA - 70 (95 hp / 94 imperial hp)							

mm	mm	daN	daN
5725/6995* (18'9" / 22'11")	+3963/+4939* (+13' / +16'2")	6000/6870* (15,444/13,489 lbf)	4220/2870* (9,487/6,452* lbf)

TLB890




kg	kW	km/h	mm	mm	m³	mm	daN	daN	mm
8775 (19,345 lb)	Stage IIIA - 74.5 (101 hp / 100 imperial hp)	40 (25 mph)	2386 (7'10")	3750 (12'4")	1.2 (1.6 yd ³)	+3369 (+11'1")	5110 (11,487 lbf)	5540 (12,454 lbf)	-4442/-5642* (-14'7" / -18'6")
	Stage V - 82 (110 hp / 109 imperial hp)								

mm	daN	daN
5877/6950* (19'3" / 22'10")	+3855/+4489* (+12'8" / +14'9")	6030/6780* (15,242/13,556 lbf)
		4110/2900* (9,240/6,519 lbf)

* Depending to configuration / Selon configuration / Je nach Konfiguration / A seconda della configurazione

TLB990




5877/6950
(19°3' / 22°10'*)

+3911/+4545*

6030/6780*
(15,242/13,556* lbf)

4110/2900*
(9,240/6,519* lbf)

TA 1EH



HYDROSTATIC



kg



kW



km/h



mm



mm



kg



mm

TA1EH

1340
(2,954 lb)17.5
(23.5 hp / 22 imperial hp)11
(7 mph)985*/1100
(3'3"/3'7")3006
(9'10")1000
(2,204 lb)2837
(9'4")

* When fitted with optional narrow tyres.

TA2H

[TA2SH, TA2SEH]



HYDROSTATIC SWING

	kg	kW	km/h	mm	mm	kg	mm
--	----	----	------	----	----	----	----

TA2H | **1980**
(4,365 lb) | **18.5**
(25 hp / 24 imperial hp) | **19**
(12 mph) | **1465**
(4'10") | **3606**
(11'10") | **2000**
(4,410 lb) | **2943**
(9'8")


TA2SH | **2120**
(4,674 lb) | **18.5**
(25 hp / 24 imperial hp) | **19**
(12 mph) | **1465**
(4'10") | **3606**
(11'10") | **2000**
(4,410 lb) | **2943**
(9'8")

TA2SEH | **2320**
(5,114 lb) | **18.5**
(25 hp / 24 imperial hp) | **19**
(12 mph) | **1465**
(4'10") | **3606**
(11'10") | **2000**
(4,410 lb) | **2943**
(9'8")



TA3

[TA3s, TA3H, TA3SH]



HYDROSTATIC SWING



kg



kW



km/h



mm



mm



kg




mm

TA3	2300 (5,070 lb)	18.5 (25 hp / 24 imperial hp) 37 (50 hp / 49 imperial hp)	19 (12 mph)	1957 (6'5")	3734 (12'3")	3000 (6,613 lb)	2889 (9'6")
TA3s	2360 (5,202 lb)	18.5 (25 hp / 24 imperial hp) 37 (50 hp / 49 imperial hp)	19 (12 mph)	1846 (6'1")	3952 (13')	3000 (6,613 lb)	2889 (9'6")
TA3H	2320 (5,115 lb)	18.5 (25 hp / 24 imperial hp) 37 (50 hp / 49 imperial hp)	19 (12 mph)	1957 (6'5")	3734 (12'3")	3000 (6,613 lb)	2919 (9'7")
TA3SH	2380 (5,247 lb)	18.5 (25 hp / 24 imperial hp) 37 (50 hp / 49 imperial hp)	19 (12 mph)	1846 (6'1")	3952 (13')	3000 (6,613 lb)	2919 (9'7")



TA3.5sh



kg



kW



km/h



mm



mm



kg



mm

TA3.5sh**2380**
(5,247 lb)**18.5**
(25 hp / 24 imperial hp)
37
(50 hp / 49 imperial hp)**19**
(12 mph)**1846**
(6'1")**3952**
(13')**3500**
(7,716 lb)**2919**
(9'7")

TA6

[TA6s]



S W I N G



kg



kW



km/h



mm



mm



kg




mm

	TA6	4340 (9,568 lb)	55.4 (75 hp / 74.3 imperial hp)	26.2 (16.3 mph)	2300 (7'7")	4405 (14'5")	6000 (13,230 lb)	3306 (10'10")
	TA6S	4500 (9,920 lb)	55.4 (75 hp / 74.3 imperial hp)	26.2 (16.3 mph)	2207 (7'3")	4539 (14'11")	6000 (13,230 lb)	3306 (10'10")



TA9

[TA9s, TA9P, TA9sp]



S W I N G P O W E R S H I F T



kg



kW



km/h



mm



mm



kg



mm

TA9	4920 (10,846 lb)	55.4 (75 hp / 74.3 imperial hp)	24.8 (15.2 mph)	2500 (8'2")	4484 (14'9")	9000 (19,840 lb)	3668 (12')
------------	----------------------------	---	---------------------------	-----------------------	------------------------	----------------------------	----------------------

TA9s	5260 (11,596 lb)	55.4 (75 hp / 74.3 imperial hp)	24.8 (15.2 mph)	2380 (7'9")	4666 (15'3")	9000 (19,840 lb)	3668 (12')
-------------	----------------------------	---	---------------------------	-----------------------	------------------------	----------------------------	----------------------

TA9P	5000 (11,023 lb)	55.4 (75 hp / 74.3 imperial hp)	24.8 (15.2 mph)	2500 (8'2")	4484 (14'9")	9000 (19,840 lb)	3668 (12')
-------------	----------------------------	---	---------------------------	-----------------------	------------------------	----------------------------	----------------------

TA9sp	5300 (11,684 lb)	55.4 (75 hp / 74.3 imperial hp)	24.8 (15.2 mph)	2380 (7'9")	4666 (15'3")	9000 (19,840 lb)	3668 (12')
--------------	----------------------------	---	---------------------------	-----------------------	------------------------	----------------------------	----------------------



TA 10P



POWERSHIFT



kg



kW



km/h



mm



mm



kg



mm

5060

(11,155 lb)

55.4

(75 hp / 74.3 imperial hp)

24.8

(15.2 mph)

2550

(8'4")

4530

(14'10")

10000

(22,050 lb)

3668

(12')



3MDX

S W I N G



kg




kW



km/h



mm



mm



kg



mm

2810
(6,195 lb)**37**
(50 hp / 49 imperial hp)**19**
(12 mph)**1846**
(6')**3974**
(13')**3500**
(7,720 lb)**2654**
(8'7")

SMDX

S W I N G



kg



kW



km/h



mm



mm



kg



mm

4920
(10,850 lb)**55.4**
(75 hp / 74.3 imperial hp)**26**
(16.2 mph)**2211**
(7'2")**4711**
(15'5")**6000**
(13,230 lb)**2875**
(9'4")

M**DX**

S W I N G



kg




kW



km/h



mm



mm



kg



mm

5400
(11,900 lb)**55.4**
(75 hp / 74.3 imperial hp)**24**
(15 mph)**2502**
(8'2")**4585**
(15')**9000**
(19,840 lb)**3384**
(11'10")

MBR71



kg



kW



km/h



mm



mm



mm

511

(1,130 lb)

7.2

(9.6 hp / 8.4 imperial hp)

4

(2.5 mph)

710

(2'3")

2187

(7'2")

1225

(4')



TV800 / TV900



kg



kW



km/h



mm



mm



mm

	TV800	1559 (3,437 lb)	17.5 (23 hp / 22 imperial hp)	8 (5 mph)	870 (2'10")	1860 (6'1")	2400 (7'10")
	TV900	1568 (3,456 lb)	17.5 (23 hp / 22 imperial hp)	8 (5 mph)	970 (3'2")	1860 (6'1")	2400 (7'10")



TV1000 / TV1200



kg

kW

km/h

mm

mm

mm

TV1000	2570 (5,665 lb)	18.5 (25 hp / 24 imperial hp)	8 (5 mph)	1070 (3'6")	2375 (7'10")	2650 (8'8")
TV1200	2925 (6,448 lb)	18.5 (25 hp / 24 imperial hp)	10 (6 mph)	1270 (4'2")	2375 (7'10")	2650 (8'8")

TV1300 / TV1400



kg

kW

km/h

mm
mm

mm
mm

mm

TV1300	3435 (7,572 lb)	32.4 (43.4 hp / 42 imperial hp)	10 (6 mph)	1370 (4'6")	2375 (7'10")	2650 (8'8")
TV1400	4390 (9,678 lb)	32.4 (43.4 hp / 42 imperial hp)	10 (6 mph)	1470 (4'10")	2375 (7'10")	2655 (8'8")

Materials and specifications are subject to change without notice. Actual products may differ from photos. Featured machines in photos may include additional equipment. See your Mecalac dealer for available options.

2019 Mecalac. © All rights reserved.

MK309 09/2019 RANGE Photo credits Singapore, Minchow Industriotos, MCE UK Printed by Kalistene Non-binding document

MECALAC FRANCE S.A.S.

2, avenue du Pré de Challes
Parc des Glaisins – CS 40230
Annecy-le-Vieux
FR - 74942 Annecy Cedex
Tel: +33 (0)4 50 64 01 63

MECALAC BAUMASCHINEN GMBH

Am Friedrichsbrunnen
D-24782 Büdelsdorf
Tel. +49 (0)43 31/3 51-319

MECALAC CONSTRUCTION EQUIPMENT UK LTD

Central Boulevard, ProLogis Park
Coventry, CV6 4BX, UK
Tel. +44 (0)2476 339 400

MECALAC İŞ MAKİNELERİ SAN VETIC. LTD. ŞTİ.

Ege Serbest Bölgesi Nilüfer 1 Sok. No: 34
35410, Gaziemir - İzmir - Türkiye
Tel. +90 232 220 11 15



WWW.MECALAC.COM